

सोताङ गाउँपालिका

Sotang Rural Municipality

गाउँ कार्यपालिकाको कार्यालय

Office of the Rural Municipal Executive

प.स (Ref.No.):-२०८१/८२ च.नं (Des.No:

कोशी प्रदेश,नेपाल

Koshi Province, Nepal

क्याटलग/ब्रोसर सपिङ विधिबाट रोलर खरिस्सम्बन्धी शिलबन्दी प्रस्ताव आह्वानको सूचना!!! (पहिलो पटक प्रकाशन माति (२०८२/०२/११ गते)

यस कार्यालयको आ.व.२०८१/०८२ को स्वीकृत वार्षिक कार्यक्रमअनुसार १ थान रोलर सार्वजनिक खरिद ऐन (२०६३ पहिलो संशोधन) को दफा ८ को उपदफा १ (क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ (चौथो संशोधन) को नियम ३१ (ख) बमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागी आधिकारिक बिकेताहरू बीचमात्र प्रतिस्पर्धा गराउने (क्याटलग सिपड) विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली २०६४ को नियम ३९(ख) को उपनियम २ अनुसार सवारी साधनको उत्पादकको आधिकारिक स्पेशिफिकेशन (क्याटलग वा ब्रोसर), गुणस्तर र कम्पनीको आधिकारिक मूल्य खुल्ने कागजात संलग्न राखि तपसिलमा उल्लेख भए बमोजिमको प्रस्ताव दर्ता गराउनु हुन सम्बन्धित उत्पादक वा आधिकारिक विकेताको जानकारीको लागी यो १५ दिन समयाविध भएको सूचना प्रकाशित गरिएको छ ।

- १. सवारी साधनको स्वीकृत विस्तृत प्राविधिक स्पेशिफिकेशन यस कार्यालयबाट निशुल्क प्राप्त गर्न सिकने छ । कार्यालयबाट स्वीकृत स्पेशिफिकेशनको offered specification column मा आफ्नो प्रस्ताव गरेको उपकरणको विस्तृत विवरण तथा माग गरिएका अरु थप विवरण अनिवार्य भरेर सही छाप गरी शिलबन्दीका साथ पेश गर्नु पर्नेछ ।
- २. उक्त कागजात लिनका लागी ईच्छुक उत्पादक कम्पनी वा सो को नेपालका लागि आधिकारिक बिक्रेताले उक्त बिक्रि बिक्री गर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्त भएको अनुमति पत्र, सो को अद्यावधिक नवीकरण भएको पत्र, स्थायी लेखा नम्बर (PAN) तथा मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्र, आ. व. २०६०/०६१ सम्मको कर चुक्ता गरेको प्रमाणित कागजात, उक्त सवारी सप्लाई गरेको हालसम्मको विस्तृत विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्रसहितका कागजातसहित यस कार्यालयमा उपस्थित हुनु पर्नेछ । साथै नेपालको आधिकारिक विक्रेताको हकमा उत्पादक कम्पनीको authorization पत्र (Manufacturer Authorization Letter) तथा गाडीको अधिकतम बिकी मूल्य (MRP) खुलेको कागजात अनिवार्य रूपमा पेश गर्नु पर्नेछ ।
- ३. यो सूचना प्रकाशित भएको मितिले १६ औं दिन दिनको १२.०० बजेसम्म यस कार्यालयमा छुटाछुट्टै शिलबन्दी प्रस्ताव दर्ता गराउन सिकने छ । दर्ता गरिएका सिलबन्दी प्रस्तावहरु सोही दिन १:०० बजे खोलिनेछ ।
- ४. साथै सूचीकृत नभएका उत्पादक वा आधिकारिक बिक्रेता कम्पनीहरुले सूचीकृत गराई उक्त शिलबन्दी प्रस्ताव पेश गर्न सिकने व्यहोरासमेत जानकारी गराइन्छ ।
- ५. पेश गर्ने अन्तिम दिन सार्वजनिक विदा परेमा विदापछिको कार्यालय खुलेको दिन पेश गर्न सिकने छ ।

६. Technical specification पालिकाको वेभुसाइटमा राखिएको छ ।

नि.प्रमुख प्रशासकीय अधिकृत

Technical Specifications

Single Drum Vibratory Roller, Self-Propelled

Qiy: 1

S.No	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
	General	Self propelled, single drum vibratory roller with smooth vibratory steel drum in the front with scraper for both direction and tires in the Rear, suitable for operation in road construction works(compaction of soil)under rough working conditions at altitude of 2500msl and in ambient temperature varying between -100°C to 500°C	Make: Model: Country of origin:
2	Operating weight	Not Less than 11,000kg	g der vertre der er e
3.	Engine	Water-cooled, Four stroke, Diesel engine, developing maximum Net Power not less than with a gross power of 100 hp @ rated rpm . Fully equipped with advance technologies and all accessories as necessary to deliver power with superior performance, fuel efficiency, lower emission and smooth operation/controls to optimize performance of the machine applications. The engine system shall also be equipped with heavy duty radiator/cooling system, heavy-duty air cleaner, heavy duty fuel filter system, heavy duty battery and direct electrical starting system.	
5.	Gauges	Gauges or meters as necessary for efficient operation and maintenance.	
6.	Ground Clearance	Minimum 370 mm	
8.	Rollers & Tires	Front: Smooth single steel drum having drum width not less than 2100mm that vibrates and drives. Drum thickness not less than 28 MM Wheel base not less than 2800mm Operating axle load front/rear not less to 6400/4500 Rear: 2 tires of standard size	
9	Vibrating system	Vibrating drum developing adequate Centrifugal force and frequency for powerful compaction with 2stages vibrations; Exciter Frequency=Minimum 32HZ Minimum Centrifugal force=Minimum 255KN	
10.	Transmission	Hydrostatic Drive with Variable speed in forward and reverse direction. Drive on both front drum and rear wheels. Gradeability not less than 40%	
11.	Steering	Standard	
12.	Brakes	Equipped with service brake and Parking brake	The state of the s
13.	Essential Accessories	1.Sevice hour meter 2.Working lights front/rear 3.Reverse alarm 4.ROPS cabin/Canopy	
14.	Instructions	All signs and instructions in the equipment shall be in English.	
15.	Manuals	1.One copy of the Owner's Instructions in English shall be supplied with equipments	
16.	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.	
17.	Color	Standard	
18.	Proven performance	1. The machine offered shall be a current model under standard production by the manufacturer for at least one year.	

Er. Durga Acharya
Er. Durga Acharya
Rechanical Engineer
NEC. No. 3530

THE PROPERTY OF THE PARTY OF TH

19.	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.
20.	Delivery	The Single Drum Vibratory Roller (Self Propelled), 1 unit, shall be delivered to: Sotang Rural Municipality

Note: The major items are indicated by Bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliances of these major items will result in no responsiveness of the bid.

Bidders Signature.....

Mechanical Engineer MEC. No. 3530